



**Town of Sunapee – Highway Department
23 EDMONT RD / 621 ROUTE 11
SUNAPEE, NH 03782**

INVITATION TO BID: 2023 or Newer Dump Truck / Plow Truck

The Town of Sunapee, NH is soliciting a competitive bid for:

1. **BID: 2023 or Newer Dump Truck / Plow Truck**
2. **BID Submission Options: Hardcopy or Electronically:**
 - a) Submit Hardcopy via USPS, FEDEX, UPS, or in person: Town of Sunapee, 23 Edgemont Rd, Sunapee NH 03782; Attention: Finance Department – 2023 or Newer Dump Truck/ Plow Truck RFP
 - b) Submit Electronically by email to Lhale@town.sunapee.nh.us with Subject: “2023 or Newer Dump Truck/ Plow Truck RFP”
3. **Bid Receipt Date & Time: on or before August 24th, 2023 at 1:00 pm**
4. **Bid Opening Date & Time: August 24th, 2023 at 1:00 pm**
5. **Bid Results:** Results of bids can be obtained at: <https://www.town.sunapee.nh.us/>

SCOPE OF WORK

The Town of Sunapee is requesting bids for (1) **new 2023 or Newer 6-wheel dump/plow truck (36,220 GVWR minimum)**. Bids will be obtained for the dump body, plow, wing plow, and associated components thereof separately, and installed by the company that is selected to provide those components. The company that is selected to build the dump truck/plow truck cab and chassis will be responsible for delivering the new truck to the company that is selected to provide the dump body and plow components. Upon selection of both companies, a meeting will be scheduled to ensure that the proposed truck specifications and dump body and plow components, and associated components thereof are coordinated so that delays are minimized.

The Town of Sunapee has the following vehicle for trade-in value against the cost of the new truck. Bidders are requested to provide the trade-in value for each of the vehicles on the Bid Form. The town reserves the right to trade in the vehicle, or whatever it deems in its best interest.

1. 2011 International 4300 4x4 VIN 1HTMZSKL0BJ364218.

The vehicle may be viewed, and test driven during regular Highway Department hours (6AM-4:30PM) Monday through Thursday, if necessary. Please contact Jenn McClaine, Highway Business Manager at: (603)763-5060 option 1 to schedule an appointment for inspection and/or a test drive of the vehicle. The town requests a trade-in allowance as shown on the Bid Form. The trade-in value will be for the vehicle as-is, as seen condition. The trade will include plow head gear, front plow and wing plow, and controls associated with the plow components towards the purchase of the 2023 or Newer Dump Truck/Plow truck. The vehicle will not be traded until the new vehicle is delivered.

Time of Delivery is critical for the Town of Sunapee. The Bid Form includes a line where bidders are required to provide the expected week of delivery that the truck would be delivered to the town. The availability of the truck could factor into the town's decision for selecting a vendor.

Bidders should be aware that the town might not award to the lowest bidder. The Town of Sunapee reserves the right, in its own judgement, to make an award it feels will be in its best interest over the projected life cycle of the truck. The Town of Sunapee retains this discretionary right based on its experience with similar makes and models, as well as current market value for similar vehicles. Bidders are encouraged to provide detailed information on their warranties along with a list of local municipal references (within 50 miles of Sunapee, NH). The Town of Sunapee intends to check local references to verify successful vehicle performance for similar intended primary duty, snow plowing.

Pages [6-14] are a checklist of the required minimum specifications and bid form that must be included and submitted to the Town of Sunapee.

INSTRUCTION TO BIDDERS

PREPARATION OF BID PROPOSAL

1. The Bidder shall submit their proposal upon the form(s) furnished by the town (attached). The bidder shall specify a unit price for each pay item. All figures shall be in ink or typed.
2. If a unit price or lump sum bid already entered by the bidder on the proposal form is to be altered it should be crossed out with ink, the new unit price or lump sum bid entered above or below it, and initialed by the bidder, also with ink. In case of discrepancy between the prices written in words and those written in figures, the prices written in words shall govern.
3. The bidder's proposal must be signed with ink by the individual, by one or more members of the partnership, by one or more members or officers of each firm representing a joint venture, by one or more officers of a corporation, or by an agent of the contractor legally qualified and acceptable to the owner. If the proposal is made by an individual, their name and post office address must be shown, by a partnership the name and post office address of each partnership member must be shown; as a joint venture, the name and post office address of each must be shown; by a corporation, the name of the corporation and its business address must be shown, together with the name of the state in which it is incorporated, and the names, titles, and business addresses of the President, Secretary, and Treasurer.

IRREGULAR PROPOSALS

Bid proposals will be considered irregular and may be rejected for any of the following reasons:

1. If the proposal is on a form other than that furnished by the Owner or if the form is altered or any part thereof is detached.
2. If there are unauthorized additions, conditional or alternate bids, or irregularities of any kind which may tend to make the proposal incomplete, indefinite, or ambiguous as to its meaning.
3. If the bidder adds any provisions reserving the right to accept or reject an award, or to enter into a contract pursuant to an award.
4. If the proposal does not contain a unit price for each pay item listed, except in the case of authorized alternate pay items.

DELIVERY OF BID PROPOSALS

When sent by mail, the sealed proposal shall be addressed to the Town of Sunapee, Finance Department – 2023 or Newer Dump Truck/ Plow Truck RFP, 23 Edgemont Rd, Sunapee NH 03782. All proposals shall be filed prior to the time and at the place specified in the invitation for bids. Proposals received after the time for opening of the bids will be returned to the bidder, unopened.

WITHDRAWAL OF BID PROPOSALS

A bidder will be permitted to withdraw their proposal unopened after it has been deposited if such request is received in writing prior to the time specified for opening the proposals.

PUBLIC OPENING OF BID PROPOSALS

Proposals will be opened and read publicly at the time and place indicated in the invitation for bids. Bidders, their authorized agents, and other interested parties are invited to be present.

DISQUALIFICATION OF BIDDERS

Either of the following reasons may be considered as being sufficient for the disqualification of a bidder and the rejection of their bid proposal(s):

1. Evidence of collusion among bidders.
2. Failure to supply complete information as requested by the bid specifications.

CONSIDERATION OF PROPOSALS

1. Bids will be made public at the time of opening and may be reviewed only after they have been properly recorded. In case of discrepancy between the prices written in words and those written figures, the prices written in words shall govern. In case of a discrepancy between the total shown in the proposal and that obtained by adding the products of the quantities of items and unit bid prices, the latter shall govern.
2. The right is reserved to reject any or all proposals, to waive technicalities or to advertise for new proposals, if in the judgment of the town, the best interest of the Town of Sunapee will be promoted thereby.
3. Bid results will be available at <https://www.town.sunapee.nh.us/> within 48 hours of the bid opening.

AWARD OF CONTRACT

The town holds the right, in its judgment, to award the contract to the bidder, which it feels is in the best interest of the town. If a contract is to be awarded, the Contractor/Vendor selection shall be based in part on possession of the necessary experience, organization, technical and professional qualifications, skills and facilities, reference checks, project understanding, approach, ability to comply with proposed or required time to completion or performance, licensing or certification, in good standing with Federal, State and Local agencies, possession of satisfactory record of performance, cost and to a responsible and qualified bidder whose proposal complies with all the requirements prescribed as soon as practical after the bid opening. No bid shall be withdrawn for a period of (60) sixty days subsequent to the opening of bids without the consent of the Town of Sunapee. The successful bidder will be notified, by email and by letter mailed to the address on their proposal, that their bid has been accepted and that they have been awarded the contract.

CANCELLATION OF AWARD

The town reserves the right to cancel the award of any contract at any time before the execution of such contract by all parties without any liability against the town.

BID EVALUATION

In addition to the bid amount, additional factors will be considered as an integral part of the bid evaluation process, including, but not limited to:

1. The bidder's ability, capacity, and skill to perform within the specified time limits.
2. The bidder's experience, reputation, efficiency, judgment, and integrity.
3. The quality, availability and adaptability of the supplies and materials sold.
4. The bidder's past performance.
5. The sufficiency of bidder's financial resources to fulfill the contract.
6. The bidder's ability to provide future maintenance and/or services.
7. Any other applicable factors as the town determines necessary and appropriate (such as compatibility with existing equipment).

STANDARDS

1. Materials specified by reference to the number, symbol or title of a specific standard, such as a Commercial Standard, a Federal Specification, Department's Standard Specifications, a trade association standard or other similar standard. Shall comply with requirements in the latest revision thereof and any amendment or supplement thereto in effect on the date of advertisement, except as limited to type, class or grade or modified in such reference.
2. Reference in the Specifications to any article, device, product, material, fixture, form or type of construction by name, make or catalog number shall be interpreted as establishing a standard of quality and shall not be construed as limiting competition. In such cases the Contractor may, at their option, use any articles, device, product, material fixture, form or type of construction that, in the judgment of the town expressed in writing to all Bidders before opening of bids as an addendum, is an acceptable substitute to the specified.
3. Substitution During Bid Time: Whenever any particular brand or make of material or apparatus is called for in the Specifications, a Bidder's Proposal must be based upon such material or apparatus, or upon a brand or make which has been specifically approved as a substitution in an Addendum issued to all Bidders during the bidding time.
4. The intent is that the brand or make of material or apparatus that is called for herein establishes a standard of excellence that, in the opinion of the Consultant and Engineer, is necessary for this particular Project.
5. Substitution After Bid Opening: No substitutions will be considered after bids have been opened unless necessary due to strikes, lockouts, bankruptcy or discontinuance of manufacture, etceteras. In such cases, the Contractor shall apply to the town, in writing within ten (10) days of their realizing their inability to furnish the article specified, describing completely the substitution they desires to make.

EXTRAS

Except as otherwise herein provided, no charge for any extra work or material will be allowed unless the Highway Director has ordered the same, in writing.

GUARANTEE OF WORK

1. Except as otherwise specified, all work shall be guaranteed by the Contractor against defects resulting from the use of inferior materials, equipment or workmanship for one (1) year from the Date of Final Acceptance.
2. In any case, wherein fulfilling the requirements of the Contract or of any guarantee, should the Contractor disturb any work guaranteed under another contract, the Contractor shall restore such

disturbed work to a condition satisfactory to the Highway Director. And guarantee such restored work to the same extent as it was guaranteed under such other contracts.

3. If the Contractor, after notice, fails to proceed promptly to comply with the terms of the guarantee, the Town of Sunapee may have the defects corrected and the Contractor shall be liable for all expenses incurred.
4. All special guarantees applicable to definite parts of the work that may be stipulated in the Specifications or other papers forming a part of the Contract shall be subject to the terms of this paragraph during the first year of the life of such special guarantee.

DEFAULT AND TERMINATION OF CONTRACT

If the Contractor:

1. Fails to begin work under Contract within the time specified in the notice to proceed; or
2. Performs the work unsuitably or neglects or refuses to remove materials or to perform anew such work as may be rejected as unacceptable and unsuitable; or
3. Becomes insolvent or has declared bankruptcy, or commits any act of bankruptcy or insolvency; or
4. Makes an assignment for the benefit of creditors; or
5. For any other causes whatsoever, fails to carry on the work in an acceptable manner the Town of Sunapee will give notice, in writing, to the Contractor for such delay, neglect, and default.

If the Contractor does not proceed in accordance with the Notice, then the Town of Sunapee will have full power and authority without violating the Contract to take the prosecution of the work out of the hands of the Contractor. The Town of Sunapee may enter into an agreement for the completion of said Contract according to the terms and conditions thereof or use such other methods as in the Town's opinion will be required for the completion of said Contract in an acceptable manner.

All extra costs and charges incurred by the Town of Sunapee as a result of such delay, neglect or default, together with the cost of completing the work under the Contract will be deducted from any monies due or which may become due to said Contractor. If such expenses exceed the sum which would have been payable under the contract, then the Contractor shall be liable and shall pay to the Town of Sunapee the amount of such excess.

OBTAINING BID RESULTS

Bid results will be available on the <https://www.town.sunapee.nh.us/> **within 48 hours** of the bid opening.

Minimum Specifications (must be attached to bid form)

Any exceptions must be specifically noted:

Specifications	Meets Specifications Yes/No	List any deviations from *Specifications
<u>ENGINE:</u>		
ENGINE, DIESEL EPA 2023, 370HP@ 2100 RPM, 1250 lb-ft Torque@ 1200 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)		
EMISSION, CALENDAR YEAR EPA, OBD and GHG Certified for Calendar Year 2023		
EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood		
RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 Ssqln, with 1167 Ssqln Charge Air Cooler		
FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed		
AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control		
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/-40 Degrees C, Freeze Protection		
BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISUL9 Engines		
ENGINE CONTROL, REMOTE MOUNTED No Provision for Remote Mounted Engine Control		
FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)		
HOSE CLAMPS, RADIATOR HOSES {R.G. Ray Mini Flex Seal} Coil Spring/"T"-Bolt Constant Torque Type, for Radiator Hoses over 1" I.D.		
PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted		
THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel		

<u>TRANSMISSION:</u>		
TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway		
ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Package Number 223, Modified for Single Input Auto Neutral		
AUTOMATIC NEUTRAL Allison Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged		
NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released		
OIL COOLER, TRANSMISSION {Modine} Water to Oil Type		
PTO LOCATION Intend to Install PTO at Left Side of Transmission		
SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming		
TRANSMISSION OIL Synthetic; 29 thru 42 Pints		
TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter		
<u>CAB:</u>		
CAB Conventional, Day Cab		
ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab		
AIR CONDITIONER with Integral Heater and Defroster		
ARM REST, RIGHT, DRIVER SEAT		
CAB INTERIOR TRIM Diamond, for Day Cab		
CAB REAR SUSPENSION Air Bag Type		
GAUGE CLUSTER Premium Level; English with English Electronic Speedometer		
GAUGE, AIR APPLICATION		
GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} Mounted in Instrument Panel		

GRAB HANDLE, EXTERIOR Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left Side at B-Pillar		
HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type		
INSTRUMENT PANEL Wing Panel		
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster		
MIRRORS (2) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width		
MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} (2) Right and Left Sides, Bright, Heated, 7.5" Sq.		
SEAT BELT All Orange; 1 to 3		
SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Mordura Cloth, Isolated, with 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Single Chamber Air Lumbar Support		
SEAT, PASSENGER {National} Non Suspension, High Back with Integral Headrest, Mordura Cloth, with Fixed Back		
SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights		
WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature		
WINDSHIELD Heated, Single Piece		
WINDSHIELD WIPER BLADES Snow Type		
<u>FRAME:</u>		
FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL		

BUMPER, FRONT Swept Back, Steel, Heavy Duty		
FRAME DIMPLE Dimple on Left and Right Top Flange of Frame Rail to Reference Rear Axle Centerline		
FRAME EXTENSION, FRONT Integral; 20" In Front of Grille		
WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)		
<u>FUEL TANK:</u>		
FUEL TANK Top Draw, Non-Polished Aluminum, 24" Dia, 50 US Gal (189L), Mounted Left Side, Under Cab		
DEF TANK 5 US Gal (19L) Capacity, Frame Mounted Outside Left Rail, Under Cab		
FUEL TANK STRAPS Bright Finish Stainless Steel		
FUEL/WATER SEPARATOR {Racor400 Series} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine		
<u>FRONT AXLE:</u>		
AXLE, FRONT NON-DRIVING {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity		
SUSPENSION, FRONT, SPRING Multileaf, Shackle Type, 20,000-lb Capacity, Less Shock Absorbers SHOCK ABSORBERS, FRONT SPRINGS, FRONT AUXILIARY Air Bag, Right Side Only, Driver Control		
<u>REAR AXLE:</u>		
AXLE, REAR, SINGLE Single Reduction, 30,000-lb Capacity, Driver Controlled Locking Differential, T Wheel Ends. Gear Ratio: 6.14		
SUSPENSION, REAR, SINGLE {Chalmers 1030 Series} 30,000-lb Capacity, Rubber Springs, 9.37" Ride Height, 7" High Spring X-Low Mount, with 21" Lower Torque Rods, and Shock Absorbers Mounted Forward		
<u>BRAKES:</u>		
BRAKE SYSTEM, AIR Dual System for Straight Truck Applications		
AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System		
BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake		
BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity		

BRAKE CHAMBERS, FRONT AXLE {MGM} 24 Ssqln		
SLACK ADJUSTERS, FRONT {Haldex} Automatic		
DUST SHIELDS, FRONT BRAKE for Air Cam Brakes		
BRAKES, REAR {Meritor 16.5X7 P} Air S- Cam Type, Cast Spider, Cast Shoe, Double Anchor Pin, Includes Greaseable and Zinc Coated Anchor Pins, Size 16.5" X 7", 38,000- lb Capacity per Axle		
BRAKE CHAMBERS, REAR AXLE {MGM TR3030LP3TSHD} 30/30 Ssqln Spring Brake		
SLACK ADJUSTERS, REAR {Haldex} Automatic		
DUST SHIELDS, REAR BRAKE for Air Cam Brakes		
AIR COMPRESSOR {Cummins} 18.7 CFM		
AIR DRYER {Bendix AD-IP} with Heater		
AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab		
AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports		
AIR TANK LOCATION (2) : One Mounted Under Each Rail, Front of Rear Suspension, Parallel to Rail		
DRAIN VALVE {Berg} with Pull Chain, for Air Tank		
TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck		
<u>STEERING:</u>		
STEERING GEAR (2) {Sheppard M100/M80} Dual Power		
STEERING COLUMN Tilting and Telescoping		
STEERING WHEEL 4-Spoke; 18" Dia., Black		
<u>DRIVELINES:</u>		
DRIVELINE SYSTEM {Dana Spicer} SPL170, for 4x2/6x2		

<u>TIRES:</u>		
WHEELS, FRONT {Accuride 41730} DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs		
(2) TIRE, FRONT 315/80R22.5 Load Range L X WORKS Z (MICHELIN), 485 rev/mile, 68 MPH, All-Position		
WHEELS, REAR {Accuride 41730} DUAL DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs		
(4) TIRE, REAR 12R22.5 Load Range H XDN2 (MICHELIN), 483 rev/mile, 75 MPH, Drive		
<u>ELECTRICAL:</u>		
ELECTRICAL SYSTEM 12-Volt, Standard Equipment		
ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use		
ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened		
ALTERNATOR {Leece-Neville AV1160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense		
ANTENNA Shark Fin, Roof Mounted		
AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications		
BACK-UP ALARM Electric, 102 dBA		
BATTERY BOX Steel, with Aluminum Cover, 14" Wide, 2-3 Battery Capacity, Mounted Left Side Under Cab		
BATTERY CABLES with 1 Auxiliary Battery Post, Positive		
BATTERY DISCONNECT SWITCH 300 Amp, Disconnects Charging Circuits, Locks with Padlock, Cab Mounted		
BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud		
BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn		

2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab		
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses		
CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade		
ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket		
HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Otr" Position		
HEADLIGHTS Halogen		
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on		
HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord		
HORN, ELECTRIC Disc Style		
INDICATOR, LOW COOLANT LEVEL with Audible Alarm		
JUMP START STUD Remote Mounted		
POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB-A Port and USB-C Port, Located in the Instrument Panel		
RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input		
SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2).5.25" Dual Cone Mounted in Both B-Pillars		
STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection		
STOP-LIGHT WIRING MODIFIED Stop-Lights Turned on When Engine Compression Brake, Exhaust Brake or Retarder is Activated		
TAIL LIGHT WIRING MODIFIED Wiring for Standard Lt&Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt&Rt Body Mounted Tail Lights		

TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights		
TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch		
TURN SIGNALS, FRONT Dual Face, LED, Amber/Red, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors		
USS PORT One USB-A Port and One USB-C Port, Located in Instrument Panel		
WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time		
<u>PAINT:</u>		
PAINT SCHEMATIC, Single Color		
PAINT TYPE Base Coat/Clear Coat		
PAINT CLASS Single Custom Color		
<u>EXHAUST:</u>		
EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab		
AFTERTREATMENT COVER Aluminum		
ENGINE COMPRESSION BRAKE {Jacobs} for Cummins ISL/L9 Engines; with Selector Switch and On/Off Switch		
EXHAUST HEIGHT 8' 10"		
MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel		
TAIL PIPE (1) Turnback Type, Bright		
<u>FRONT END:</u>		
FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV		
FENDER EXTENSIONS Rubber		
GRILLE Stationary, Chrome		
HOOD, HATCH (01) for Servicing		
INSULATION, SPLASH PANELS for Sound Abatement		
INSULATION, UNDER HOOD for Sound Abatement		
LOGOS EXTERIOR Model Badges		
LOGOS EXTERIOR, ENGINE Badges		
<u>BODY INTEGRATION:</u>		
BOY INTG, REMOTE POWER MODULE Mounted Inside Cab Behind Driver Seat, Up to		

6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches		
Guarantee price for buy back of complete truck	After 10 years	
Guarantee price for buy back of complete truck	After 15 years	

Bid Form: Bid 2023 or Newer Dump Truck / Plow Truck

Vendor Name: _____

Address: _____

Phone: _____ Fax#: _____ E-mail: _____

Contact Person: _____

Authorized Signature: _____

Truck		Amounts
Dump/Plow Truck	Model Year 2023 or Newer	Cost New
Trade in value	Town Vehicle # H6 2011 International Dump/Plow truck VIN 1HTMZSKL0BJ364218 Estimated mileage : 76,066 Trade Amount	\$
	Cost of truck #1 less trade in	\$

Expected date of delivery _____

Vehicles will be traded if deemed to be prudent by the Highway Director or Town Manager.